Product ACS-CWP-140

Revision Date 05/29/2015

Revision



Safety Data Sheet

SECTION	1.	IDENTIFICATION
	••	

I.

Product Name Identifier Uses	ACS-CWP-140 Cooling Water Treatment.
Supplier	Advanced Chemical Service Inc. 3410 La Sierra Ave.#F271 Riverside, CA 92503 Tel: 800-319-9227
Contact Person	800-319-9227 / www.advancedchemicalservice.com
Emergency Telephone	24-HOUR EMERGENCY TELEPHONE: INFOTRAC: I-800-535-5053 INTERNATIONAL#: I- 352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance	Clear, Pale Green Liquid.
Color	Clear, Pale Green Liquid.
Odor	Bland.
Pictogram(s)	
Signal Word	Danger
Hazard Statements	H314 Causes severe skin burns and eye damage
Precautionary Statements	 P280 Wear protective gloves/ protective clothing/eye protection/face protection. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician
Contains	sulphuric acid phosphonic acid sodium 4(or 5)-methyl-IH-benzotriazolide
GHS Classification	
Physical and Chemical Hazards	Not classified
, Human Health	Skin Corr. 1A - H314
Environment	Not classified
OSHA RegulatoryStatus	This product is Hazardous under the OSHA Hazard communication Standard.
Inhalation	Inhalation of mists may cause moderate to severe irritation to mucous membranes and respiratory tract. Symptoms of exposure may include nasal irritation, coughing, sore throat and shortness of breath. Avoid contact.
Ingestion	Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Symptoms of exposure may include nausea, vomiting, dental erosion, abdominal pain, shock or collapse. The product may be fatal if ingested. Do NOT ingest.
Skincontact	Exposure to liquid product may cause moderate to severe irritation to skin, and possible burns. Symptoms of exposure may include redness, itching, swelling, blisters or pain. Effects of contact may be delayed. Avoid contact.
Eye contact	Exposure to liquid product may cause severe irritation to eyes, and possibly burns or eye damage. Symptoms of exposure may include redness, itching, swelling, tearing or pain.

Effects of contact may be delayed. Avoid contact. No Information available.

SECTION 3: Composition/Information on Ingredients

Composition Comments	Confidential business information has been removed without affecting the overall safety
	information on the safety data sheet.

SECTION 4: FIRST AID MEASURES

Description of first aid measures	
General Information	General first aid, rest, warmth and fresh air.
Inhalation	If this product is inhaled and symptoms occur, move the exposed person to fresh air promptly. Seek medical attention if symptoms persist.
Ingestion	If this product is ingested, seek medical attention immediately. Do NOT induce vomiting
	unless directed to do so by medical personnel. Give the exposed person large amounts of milk, milk of magnesia, table oil or fresh eggs. Give water only when nothing else is available. Rinse mouth often. Never give anything by mouth to an unconscious person.
Skin contact	If this product contacts the skin, immediately flush the affected area with plenty of clean running water for at least fifteen (15) minutes. If the product penetrates the clothing, promptly remove the contaminated clothing or shoes, and flush the affected area as described. Seek medical attention if irritation persists.
Eye contact	If this product contacts the eyes, immediately flush eyes with plenty of clean runningwater for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if worn. Seek medical attention if irritation persists.

Most important symptoms and effects, both acute and delayed

General Information	
Inhalation	Inhalation of mists may cause moderate to severe irritation to mucous membranes and respiratory tract. Symptoms of exposure may include nasal irritation, coughing, sore throat and shortness of breath. Avoid contact.
Ingestion	Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Symptoms of exposure may include nausea, vomiting, dental erosion, abdominal pain, shock or collapse. The product may be fatal if ingested. Do NOT ingest.
Skin contact	Exposure to liquid product may cause moderate to severe irritation to skin, and possible burns. Symptoms of exposure may include redness, itching, swelling, blisters or pain. Effects of contact may be delayed. Avoid contact.
Eye contact	Exposure to liquid product may cause severe irritation to eyes, and possibly burns or eye damage. Symptoms of exposure may include redness, itching, swelling, tearing or pain. Effects of contact may be delayed. Avoid contact.
Routes of Exposure	No Information available.

Most important symptoms and effects, both acute and delayed

Notes To The Physician Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting Measures

Auto Ignition Temperature (°C)	No Information available.				
FlammabilityLimit-Lower (%)	er (%) No Information available.				
Flammability Limit - Upper (%)	No Information available.				
Flashpoint	No Information available.				
Extinguishing Media	Use dry chemical, foam or carbon dioxide to extinguish fire. Do NOT use water on material.				
Hazardous combustion products	Combustion may lead to the release of oxides of sulphur and hydrogen.				
Unusual Fire & Explosion Hazards	Flammable hydrogen can form when the product contacts metals. Flammable hydrogen can form when the product contacts metals.				
Special Fire Fighting Procedures	Use water to cool containers exposed to a fire.				
Protective equipment for fire-	Fire fighters should wear full protective equipment, including a NIOSH-approved self-				
fighters	contained breathing apparatus with full face piece operated in the pressure demand or other				
	positive pressure mode.				

SECTION 6: Accidental Release Measures

Personal Precautions	Use proper personal protection (refer to Section 8).
Environmental Precautions	Run off from fire control or dilution water may cause pollution. Keep out of drains, municipal sewers, open bodies of water and water course.
Spill Clean Up Methods	Safely stop source of spill. Clean up spills immediately. Restrict non-essential personnelfrom the area. Wear protective clothing, goggles and respirator if ventilation is not adequate. Do NOT flush into sewer or storm drain. Dike spill area and neutralize with alkaline material (lime, soda ash); then soak up with an inert material (sand, vermiculite, earth).Place into chemical waste container for disposal according to local, state or federal regulations at an approved chemical waste reprocessing facility. Neutralize residue with lime or soda ashand flush spill area.

SECTION 7: Handling and Storage

Handling	Use proper personal protection when handling (refer to Section 8).Use under well-ventilated conditions. Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse container before disposal. Do NOT reuse containers for other purposes.
Usage Description	Use only according to directions.
Storage Precautions	The recommended shelf life is two (2) years. It is recommended that products be retested if stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite.
Specific End Use(s)	The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: Exposure Controls/Personal Protection

Protective Equipment



Component	STD	TWA	(8 Hrs)	STEL (1	15mins)	Notes
ulphuric acid	OSHA		l mg/m3			
Ingredient Comments	C	SHA				
Process Conditions	Pi	[.] ovide eyewash, quic	k drench.			
Engineering Measures		-	ilation, including appr exposure limit is not ex	-	extraction, to e	ensure that the
Respiratory Equipment	st	ated limits or ventila espirator to reduce p	ection is not generally tion is inadequate, us otential for inhalation iently to assure break	e a NIOSH apj exposure. Wł	proved acid ga hen using respi	s/organic vapor rator cartridges, they
Hand Protection	cł	noice of suitable prot	oduct, it is recommen ective gloves depends positive experience w	on work con	ditions and wh	0
Eye Protection			e protection tested and DSH (US) or EN 166(E	••	der appropriat	e government
Hygiene Measures	ea Pi	ating, smoking and us	WORK AREA! Wash h ing the toilet. Wash p clothing that becomes	romptly if skir	n becomes wet	or contaminated.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance

Clear, Pale Green Liquid.

Color Odor	Clear, Pale Green Liquid. Bland.
Odor Threshold - Lower	No Information available.
Odor Threshold - Upper	No Information available.
pH-Value, Conc. Solution	1.0
Melting point	25.0 °F
Initial boiling point and boiling range	212.0 °F
Flashpoint	No Information available.
Evaporation rate	No Information available.
Flammability State	No Information available.
FlammabilityLimit-Lower (%)	No Information available.
FlammabilityLimit-Upper (%)	No Information available.
Vapor pressure	No Information available.
Vapor Density (air=1)	No Information available.
Relative density	I.40 @ 68.0°F
Bulk Density	No Information available.
Solubility	Completely soluble in water.
Decomposition temperature	No Information available.
Partition coefficient; n-octanol/wa	ter No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	No information available.
Oxidizing Properties	No Information available.
Molecular Weight	No Information available.
Volatile Organic Compound	No Information available.

TION 10: Stability and Reactivi	ty
Reactivity	Reactions may occur with Strong alkalis/caustics, metals, hydroxylamine, ethanol, isopropanol, organics, nitrates, chlorates and water.
Stability	This product is stable at ambient temperatures and atmospheric pressures.
Hazardous Polymerization	Hazardous polymerization is not expected to occur under normal temperatures and pressures.
Hazardous Decomposition Products	Hydrogen and oxides of sulphur.
Conditions to Avoid	Avoid contact with Strong alkalis/caustics, metals, hydroxylamine, ethanol, isopropanol, organics, nitrates, chlorates and water.
Materials to Avoid	Keep away from Strong alkalis/caustics, metals, hydroxylamine, ethanol, isopropanol, organics, nitrates, chlorates and water.

SECTION 11: Toxicological Information

Toxicological Information	No toxicological information for the overall finished product.
AcuteToxicity (OralLD50) Acute Toxicity (DermalLD50) Acute Toxicity (InhalationLC50)	>1884.00mg/kg Rat >1105.00mg/kg Rabbit >550.00mg/l (vapors) Rabbit
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitization Skin Sensitization Reproductive Toxicity: Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo	No Information available. No Information available. No Information available.
Carcinogenicity: Carcinogenicity NTP - Carcinogenicity OSHA - Carcinogenicity IARC Carcinogenicity	No Information available. sulphuric acid : Known human carcinogen. The product and its components are not listed. sulphuric acid : Not Listed.
Specific Target Organ Toxicity - Sin STOT - Single Exposure Specific Target Organ Toxicity - Re	No Information available.

No Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium 4(or 5)-methyl-1H-benzotriazolide	920mg/kg		

SECTION 12: Ecological Information

STOT - Repeated Exposure

_		
	Ecotoxicity	No Information available.
	Acute Toxicity - Fish Acute Toxicity - Aquatic Invertebrates	LC50 96 Hours >2100.00ppm Onchorhynchus mykiss (Rainbow Trout) LC50 48 Hours >2950.00ppm Daphnia magna
	Acute Toxicity - Aquatic Plants	EC50 72 Hours >4150.00ppm
	Degradability	No information available.
	Bioaccumulative Potential	
	Mobility	Completely soluble in water.
	Results of PBT and vPvB Assessment	The product does not contain any PBT or vPvB Substances.
	Other Adverse Effects	None known.

Name	Acute Toxicity (Fish)	Acute Toxicity (Aquatic	Acute Toxicity (Aquatic
sodium 4(or 5)-methyl H-benzotriazolide	macrochirus (Bluegill) (50 96 Hours 73 70	LC50 48 Hours 245.70mg/l Daphnia magna	

SECTION 13: Disposal Considerations		
Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
Disposal Methods	Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings	

even after container is emptied. Do NOT reuse empty containers. Dispose in accordance with all applicable federal, state and local laws and regulations.

UN No. (DOT/TDG)	1760 - CORROSIVE LIQUID, (Sulphuric Acid)
UN No. (IMDG)	1760 - CORROSIVE LIQUID, (Sulphuric Acid)
UN No. (ICAO)	1760 - Corrosive liquid (Sulphuric Acid)
DOT Proper Shipping Name	1760 - CORROSIVE LIQUID, (Sulphuric
Acid) TDG Proper Shipping Name	1760 - CORROSIVE LIQUID, (Sulphuric
Acid) DOT Hazard Class	8
DOT Hazard Label	Class 8 - Corrosive
TDG Class	8
TDG Label(s)	8
IMDG Class	8
ICAO Class	8
Transport Labels	
DOT PackGroup	
IMDG Pack Group	II
Air Pack Group	Ш
EMS	F-A, S-B
Environmentally Hazardous Substance/Marine Pollutant	Νο

SECTION 14: Transport Information

SECTION 15: Regulatory Information


US Federal Regulations		
SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities		
The Following ingredients are liste	ed None Listed.	
CERCLA/Superfund, Hazardous	s Substances/Reportable Quantities (EPA)	
The Following ingredients are liste	ed None Listed.	
SARA Extremely Hazardous Substances EPCRA Reportable Quantities		
The Following ingredients are liste	ed None Listed.	
SARA 313 Emission Reporting		
The Following ingredients are liste	ed None Listed.	
CAA Accidental ReleasePreven	ntion	
The Following ingredients are liste	ed sulphuric acid	
	zinc sulphate	
OSHA Highly Hazardous Chem	icals	
The Following ingredients are list		

US State Regulations California Proposition 65 Carcinogens and Reproductive Toxins The Following ingredients are listed None Listed. California Air Toxics "Hot Spots" (A-I) The Following ingredients are listed None Listed. California Air Toxics "Hot Spots" (A-li) The Following ingredients are listed None Listed. Massachusetts "Right To Know" List The Following ingredients are listed sulphuric acid zinc sulphate Rhode Island "Right To Know" List The Following ingredients are listed None Listed. Minnesota "Right To Know" List The Following ingredients are listed None Listed. New Jersey "Right To Know" List The Following ingredients are listed sulphuric acid zinc sulphate phosphonic acid Pennsylvania "Right To Know" List The Following ingredients are listed sulphuric acid zinc sulphate

phosphonic acid

SECTION 16: Other Information

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	2
Personal Protection	D

Revision Comments	
Revision Date	05/29/2015
Revision	I

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.