ProductACS-CLN-090Revision Date5/15/2015RevisionI



# Safety Data Sheet

### SECTION 1: IDENTIFICATION

Product Name Identifier Uses

Supplier

ACS-CLN-090 Cleaner.

Advanced Chemical Service Inc. 3410 La Sierra Ave.#F271 Riverside, CA 92503 Tel: 800-319-9227 800-319-9227 / www.advancedchemicalservice.com

Contact Person Emergency Telephone 800-319-9227 / www.advancedchemicalservice.com 24-HOUR EMERGENCY TELEPHONE: INFOTRAC: 1-800-535-5053 INTERNATIONAL#: 1-352-323-3500

## SECTION 2: HAZARDS IDENTIFICATION

Appearance Calua	Liquid.
Color Odor	Clear, amber liquid. Sweet.
	Sweet.
Pictogram(s)	
Signal Word	Danger
Hazard Statements	H314 Causes severe skin burns and eye damage
Precautionary Statements	<ul> <li>P280 Wear protective gloves/ protective clothing/eye protection/face protection.</li> <li>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTER or doctor/physician</li> </ul>
Contains	potassium hydroxide disodium metasilicate
GHS Classification	
Physical and Chemical Hazards	Not classified
Human Health	Skin Corr. IB - H314
Environment	Not classified
OSHA Regulatory Status	This product is Hazardous under the OSHA Hazard communication Standard.
Inhalation	There may be shortness of breath with a burning sensation in the throat.
Ingestion	Do not ingest. Exposure to liquid product may cause moderate to severe irritation to
	inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.
Skin contact	Corrosive! Can cause redness, pain, and severe skin burns.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes
	serious eye damage.
Routes of Exposure	Unknown

### SECTION 3: Composition/Information on Ingredients

Composition Comments	Confidential business information has been removed without affecting the overall safety
	information on the safety data sheet.

#### SECTION 4: FIRST AID MEASURES

Description of first aid measures		
General Information	General first aid, rest, warmth and fresh air.	
Inhalation	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.	
Ingestion	NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.	
Eye contact	Do not rub eye. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse. Continue to rinse for at least 15 minutes.	
Most important symptoms and effects,	both acute and delayed	
General Information	The severity of the symptoms described will vary dependent of the concentration and the length of exposure.	
Inhalation	There may be shortness of breath with a burning sensation in the throat.	
Ingestion	Do not ingest. Exposure to liquid product may cause moderate to severe irritation to inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.	
Skin contact	Corrosive! Can cause redness, pain, and severe skin burns.	
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes	

serious eye damage.

Unknown

 Most important symptoms and effects, both acute and delayed

 Notes To The Physician
 Treat Symptomatically.

### SECTION 5: Firefighting Measures

**Routes of Exposure** 

Auto Ignition Temperature (°C)	No Information available.	
FlammabilityLimit-Lower (%)	No Information available.	
Flammability Limit - Upper (%)	No Information available.	
Flash point	No Information available.	
Extinguishing Media	Use fire-extinguishing media appropriate for surrounding materials. Water, foam, dry chemical or carbon dioxide.	
Hazardous combustion products	No hazardous decomposition products.	
Unusual Fire & Explosion Hazards	lazards Dried residue can thermally decompose, giving off irritating and possibly toxic fumes.	
Special Fire Fighting Procedures	ecial Fire Fighting Procedures Use water to cool containers exposed to a fire. Avoid breathing fire vapors.	
Protective equipment for fire- fighters	Wear full protective clothing and self-contained breathing apparatus, suitable gloves and boots.	

### SECTION 6: Accidental Release Measures

Personal Precautions	For personal protection, see section 8. In case of inadequate ventilation, use respiratory protection. Do not smoke, use open fire or other sources of ignition. In case of spills, beware of slippery floors and surfaces.
Environmental Precautions	Keep out of drains, municipal sewers, open bodies of water and water course.
Spill Clean Up Methods	Restrict non-essential personnel from the area. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Place into chemical waste container for disposal according to local, state or federal regulations. Neutralize residue with lime or soda ash and flush spill area. DO NOT TOUCH SPILLED MATERIAL! Wash thoroughly after dealing with a spillage.

# SECTION 7: Handling and Storage

Handling	Use proper personal protection when handling. Provide good ventilation. Avoid contact with skin and eyes and clothing. Do not use contact lenses. Avoid inhalation of vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse container before disposal.
Usage Description	Store in a cool, dry, and well-ventilated place away from incompatible materials. Vent containers frequently, and more often in warm weather to relieve pressure. Keep container tightly closed when not in use. Do not get in eyes, on skin, or on clothing.
Storage Precautions	Store closed containers in a cool, dry, well-ventilated area away from incompatible materials. This product is stable under normal conditions of handling and storage. Avoid cold temperatures. The recommended storage temperature is above 32°F, preferably at room temperature (70°F).Under ideal storage conditions, the shelf life is one (1) year. It is recommended that product be retested if stored for more than six (6) months. Keep away from oxidizing materials. Keep in a tightly closed container and store it in a cool, dry, ventilated area. Protect container against physical damage, direct sunlight, and freezing.
Specific End Use(s)	The identified uses are in section 1 of this Safety Data Sheet.

### SECTION 8: Exposure Controls/Personal Protection

Protective Equipment	
Ingredient Comments	No information for the control parameters
Process Conditions	Provide eyewash, quick drench.
<b>Engineering Measures</b>	Provide adequate ventilation.
Respiratory Equipment	Use of respirator protection is not generally required.
Hand Protection	When handling this product, it is recommended to wear chemical resistant gloves. The choice of suitable protective gloves depends on work conditions and what chemicals are handled, but we have positive experience with gloves made of Rubber. Use rubber or plastic gloves to minimize skin contact.
Eye Protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Hygiene Measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

### SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Appearance Color Odor	Liquid. Clear, amber liquid. Sweet.
Odor Threshold - Lower	No Information available.
Odor Threshold - Upper	No Information available.
pH-Value, Conc. Solution	13.7
Melting point	31.8 °F
Initial boiling point and boiling range	212.0 °F
Flashpoint	No Information available.
Evaporation rate	No Information available.

Flammability State	No Information available.
FlammabilityLimit-Lower (%)	No Information available.
Flammability Limit - Upper (%)	No Information available.
Vapor pressure	23.8 mm Hg 0.0
Vapor Density (air=1)	No Information available.
<b>Relative density</b>	No Information available
Bulk Density	No Information available.
Solubility	Completely soluble in water.
<b>Decomposition temperature</b>	No Information available.
Partition coefficient; n-octanol/wa	ter No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	No information available.
Oxidizing properties	No Information available.
Molecular Weight	Not known.
Volatile Organic Compound	No Information available.

SECTION 10: Stability and Reactivity		
Reactivity	Reactions may occur with strong oxidizing materials and strong acids.	
Stability	This product is stable at ambient temperatures and atmospheric pressures.	
Hazardous Polymerization	Hazardous polymerization is not expected to occur under normal temperatures and pressures.	
Hazardous Decomposition Products	None under normal conditions.	
Conditions to Avoid	Avoid extreme temperatures and storing in large quantities and for long periods of time.	
Materials to Avoid	Keep away from strong oxidizing materials and strong acids.	

# SECTION 11: Toxicological Information

Toxicological Information	No Information available.
Acute Toxicity (Oral LD50) Acute Toxicity (Dermal LD50) Acute Toxicity (Inhalation LC50)	>4037.00mg/kg Rat >1586.00mg/kg Rabbit No Information available.
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitization Skin Sensitization Reproductive Toxicity: Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo	No Information available. No Information available. No Information available.
Carcinogenicity: Carcinogenicity NTP - Carcinogenicity	No Information available. The product and its components are not listed.

OSHA - Carcinogenicity IARC Carcinogenicity The product and its components are not listed. The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:STOT - Single ExposureNo Information available.Specific Target Organ Toxicity - Repeated Exposure:STOT - Repeated ExposureSTOT - Repeated ExposureNo Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
potassium hydroxide	284mg/kg Rat		

#### SECTION 12: Ecological Information

Eco toxicity	No Information available.
Acute Toxicity - Fish Acute Toxicity - Aquatic Invertebrates	LC50 96 Hours >195.00ppm Onchorhynchus mykiss (Rainbow Trout) LC50 96 Hours >1980.00ppm Daphnia magna
Acute Toxicity - Aquatic Plants	No Information available.
Degradability	No information available.
Bio accumulative Potential	No Information available.
Mobility	Completely soluble in water.
Results of PBT and vPvB Assessment	The product does not contain any PBT or vPvB Substances.
Other AdverseEffects	None known.

TION 13: Disposal Cons	iderations
Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
Disposal Methods	Dispose of waste and residues in accordance with local authority requirements. Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even afte container is emptied.

SECTION 14: Transport Information		
UN No. (DOT/TDG)	1760 - CORROSIVE LIQUID, (Potassium Hydroxide)	
UN No. (IMDG)	1760 - CORROSIVE LIQUID, (Potassium Hydroxide)	
UN No. (ICAO)	1760 - Corrosive liquid (Potassium Hydroxide)	
DOT Proper Shipping Name	1760 - CORROSIVE LIQUID, (Potassium Hydroxide)	
TDG Proper Shipping Name	1760 - CORROSIVE LIQUID, (Potassium Hydroxide)	
DOT Hazard Class	8	
DOT Hazard Label	Class 8 - Corrosive	
TDG Class	8	
TDG Label(s)	8	
IMDG Class	8	
ICAO Class	8	
Transport Labels		



DOT PackGroup	11
IMDG Pack Group	н
Air Pack Group	н
EMS	F-A, S-B
Environmentally Hazardous Substance/Marine Pollutant	No


# SECTION 15: Regulatory Information

#### US Federal Regulations

SARA Section 302 Extremely Hazard	ous Substances Tier II Threshold Planning Quantities
The Following ingredients are listed	
CERCLA/Superfund, Hazardous Subst	tances/Reportable Quantities (EPA)
The Following ingredients are listed	potassium hydroxide
SARA Extremely Hazardous Substance	es EPCRA Reportable Quantities
The Following ingredients are listed	
SARA 313 Emission Reporting	
The Following ingredients are listed	
CAA Accidental ReleasePrevention	
The Following ingredients are listed	
OSHA Highly Hazardous Chemicals	
The Following ingredients are listed	
US State Regulations	or and Penroductive Toxing
California Proposition 65 Carcinogen The Following ingredients are listed	
California Air Toxics "Hot Spots" (A-	1)
The Following ingredients are listed	
California Air Toxics "Hot Spots" (A-	li)
The Following ingredients are listed	
Massachusetts "Right To Know" List	
The Following ingredients are listed	potassium hydroxide
Rhode Island "Right To Know" List	
The Following ingredients are listed	potassium hydroxide
Minnesota "Right To Know" List	
The Following ingredients are listed	potassium hydroxide
	Poly(oxy-1,2-ethanediyl),?-hydro-?-hydroxy- Ethane-1,2-diol, ethoxylated octan-1-ol
New Jersey "Right To Know" List	
The Following ingredients are listed	potassium hydroxide
Pennsylvania "Right To Know" List	
The Following ingredients are listed	potassium hydroxide
	decan-I-ol
	octan-I-ol

# SECTION 16: Other Information

# NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



# HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	с

Revision Comments	No Information available.
Revision Date	5/15/2015
Revision	1

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.